

**WALLACH, TURKISH & WALLACH**

ATTORNEYS AT LAW  
50 BROADWAY - 25TH FLOOR  
NEW YORK, NEW YORK 10004  
TELEPHONE (212) 742-2000  
FAX (212) 742-4219

GILBERT WALLACH  
WILLIAM J. TURKISH  
MARK F. WALLACH

August 7, 1996

OF COUNSEL  
MICHAEL A. DINOWITZ  
(ALSO ADMITTED IN NJ)

**CERTIFIED MAIL,**  
**RETURN RECEIPT REQUESTED**

Attn: Mr. Lance R. Richman, P.G.  
Emergency and Remedial Response Division  
U.S. Environmental Protection Agency  
290 Broadway, 19th Flr.  
New York, New York 10007-1866

Re: Request for Information Under 42 U.S.C. §9601 et seq  
Diamond Alkali Superfund Site, Passaic River Study Area  
Our File No. 4365Z

Dear Mr. Richman:

In response to the Request for Information dated July 9, 1996 in connection with the facility located at 666 Washington Avenue, Bellville, New Jersey (hereafter, "Facility"), please be advised that the undersigned represents Flexon Industries Corp. and responds as follows:

1. Flexon Industries Corp. (hereafter, "Flexon") has operated, and continues to operate, the above designated Facility since 1972.

2.(a) Flexon is not aware of any permits issued to it pursuant to the Resource Conservation and Recovery Act, 42 U.S.C. §9601 et seq, other than the State of New Jersey Pollutant Discharge Elimination Systems/Discharge to Surface Water (NJPDES/DSW) General Non-Compact Cooling Water (NCCW) Permit No. NJ 0055808, which Flexon does not believe is issued pursuant to the aforementioned statute.

(b) See 2.(a) above.

3. Flexon has not received, utilized, manufactured, discharged, released, disposed of or stored any materials containing any of the substances set forth in paragraph 3) of Attachment A Request for Information.

4.(a) The manufacturing processes employed at Flexon do not generate any hazardous substances, including, but not limited to, the substances listed in item 3) of Attachment A Request for Information.

848000001

Attn: Mr. Lance R. Richman, P.G.  
Emergency and Remedial Response Division  
U.S. Environmental Protection Agency  
Page 2

Re: Request for Information Under 42 U.S.C. §9601 et seq  
Diamond Alkali Superfund Site, Passaic River Study Area  
Our File No. 4365Z

(b) See 4.(a) above.

5. Flexon does not collect, store, treat and/or dispose of any hazardous substances, including, but not limited to, the substances listed in items 3) and 4) above.

6.(a) The manufacturing process employed at Flexon does not generate any waste waters containing any hazardous substances, including, but not limited to, the substances listed in items 3) and 4) above.

(b) See 6.(a) above.

(c) For the entire period of time that Flexon has been operating the facility, storm sewers have existed.

7.(a) See 4.(a) above.

(b) See 4.(a) above.

8. Flexon is unaware of any leaks, spills, explosions, fires or other incidents of accidental material discharge that occurred at the Facility since 1972 in which any hazardous substances, including, but not limited to, the substances listed in items 3) and 4) above, were released on the property, into the waste water or storm drainage system at the Facility or into the Passaic River.

(a) Not applicable.

(b) Flexon is unaware of the information available to EPA relating to the alleged dumping of cutting oil by an employee into the storm sewer catch basin on Flexon's property in 1977. In order to more accurately respond to this inquiry, please provide any information in the possession of EPA with regard to this incident so as to enable Flexon to undertake an investigation and respond accordingly.

9. Flexon's Facility was never subject to flooding.

10. Flexon was never cited for any civil, criminal or administrative proceeding or violations of any local, state or

**848000002**

Attn: Mr. Lance R. Richman, P.G.  
Emergency and Remedial Response Division  
U.S. Environmental Protection Agency  
Page 3

Re: Request for Information Under 42 U.S.C. §9601 et seq  
Diamond Alkali Superfund Site, Passaic River Study Area  
Our File No. 4365Z

federal laws or regulations relating to water pollution or hazardous waste generation, storage, transport or disposal.

11. Not applicable.

12. State of New Jersey, Department of Environmental Protection, Metro Bureau of Water Compliance and Enforcement conducts periodic compliance evaluation inspections. Annexed hereto as Exhibit "A" please find the inspection rating report for the periods covering 1994, 1995 and 1996. In addition, the National Pollutant Discharge Elimination System (NPDES) conducts periodic discharge monitoring. Annexed hereto as Exhibit "B" please find copies of the discharge monitoring reports for the periods commencing 10/1/93 through 6/30/96. (Not all monthly reports are available, and we are attempting to locate those periods that are missing. Flexon understands its obligation to supplement this letter when those reports are available).

13.(a) The property for the above Facility is, and has been, owned by 666 Washington Realty Corp. since 1972. The Facility itself is owned and operated by Flexon Industries Corp.

(b) In that both Flexon and 666 Washington Realty Corp. have an identity of ownership interest, there are no leases between the entities covering the location.

(c) To the best of our knowledge, the prior owner/operator of the Facility was Ross-Rob Realty Corp. There is no relationship between Ross-Rob Realty Corp. and either 666 Washington Realty Corp. or Flexon Industries Corp.

14.(a) The legal name of our company is Flexon Industries Corp.

(b) The president of Flexon is David Rauch, 472 Winthrop Drive, Teaneck, New Jersey 07666.

(c) Flexon Industries Corp. was incorporated in the State of New Jersey.

(d) To be provided in a supplement to this letter within thirty (30) days.

848000003

Attn: Mr. Lance R. Richman, P.G.  
Emergency and Remedial Response Division  
U.S. Environmental Protection Agency  
Page 4

Re: Request for Information Under 42 U.S.C. §9601 et seq  
Diamond Alkali Superfund Site, Passaic River Study Area  
Our File No. 4365Z

(e) Flexon is not a subsidiary or affiliate of any other company.

(f) Flexon was formerly known as Flexon Ind. Corp., whose name was changed pursuant to Amendment to the Certificate of Incorporation on April 11, 1994.

(g) Flexon has not acquired or merged with any other company during its existence.

(h) Not applicable.

(i) Not applicable.

15. The information necessary to respond herein was provided by David Rauch, president of Flexon Industries Corp., 472 Winthrop Drive, Teaneck, New Jersey 07666 (201) 824-5530. A Certification of Answers to Reuqewt for Information by Mr. Rauch is annexed hereto.

Flexon is aware of its continuing obligation to supplement this response if any information and/or documentation not provided herein becomes available. If you have any questions, please contact the undersigned.

Very truly yours,

WALLACH, TURKISH & WALLACH

By: 

William J. Turkish, Esq.

WJT:ec

Encls.

cc: Ms. Amelia Wagner, Assistant Regional Counsel  
Office of Regional Counsel, 17th Flr.

848000004

CERTIFICATION OF ANSWERS TO REQUEST FOR INFORMATION

State of New York:

County of New York:


I certify under penalty of law that I have personally examined and am familiar with the information submitted in this document (response to EPA Request for Information) and all documents submitted herewith, and that based on my inquiry of those individuals immediately responsible for obtaining the information, I believe that the submitted information is true, accurate, and complete, and that all documents submitted herewith are complete and authentic unless otherwise indicated. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment. I am also aware that my company is under a continuing obligation to supplement its response to EPA's Request for Information if any additional information relevant to the matters addressed in EPA's Request for Information or the company's response thereto should become known or available to the company.

DAVID RAUCH  
NAME (print or type)

V.P.  
TITLE (print or type)

  
SIGNATURE

Sworn to before me this 6<sup>th</sup>  
day of August, 1976

  
Notary Public

WILLIAM TURKISH  
NOTARY PUBLIC, State of New York  
No. 41-4801151  
Qualified in Queens County  
Commission Expires November 30, 1977

848000005



State of New Jersey  
DEPARTMENT OF ENVIRONMENTAL PROTECTION  
Metro Bureau of Water Compliance and Enforcement  
2 Babcock Place, West Orange, N.J. 07052  
(201) 669-3900

May 15, 1996

David Rauch, Vice President  
Flexon Industries Corporation  
366 Frelinghuysen Avenue  
Newark, NJ 07114

Re: Compliance Evaluation Inspection  
Flexon Industries Corporation  
NJPDES No. NJ 0055808  
Belleville/Essex County

Dear Mr. Rauch:

A Compliance Evaluation Inspection of your facility was conducted by a representative of this Bureau on May 1, 1996.

Your facility received a rating of "ACCEPTABLE". A copy of the completed inspection report form is enclosed for your information. Please address any minor deficiencies noted therein.

This Bureau anticipates your continued cooperation in assisting us in the prevention and control of water pollution in New Jersey.

Very truly yours,

Theophilus Ashie  
Senior Environmental Specialist  
Metro Bureau of Water  
Compliance and Enforcement

E29:G25

c: Patrick M. Durack, USEPA  
Thomas Longo, Health Official  
Janet Jessel, BSWP

Enclosure

848000006



**State of New Jersey  
Department of Environmental Protection and Energy**

Division of Enforcement Field Operations  
Metro Bureau of Water and Hazardous Waste Enforcement  
2 Babcock Place

West Orange, NJ 07052-5504

Tel. # 201-669-3900

Fax. # 201-669-3907

Robert C. Shinn, Jr.  
Commissioner

James K. Hamilton  
Assistant Director

May 20, 1994

Mr. David Rauch, Vice President  
Flexon Industries Corporation  
366 Frelinghuysen Avenue  
Newark, NJ 07114

Re: Compliance Evaluation Inspection  
Flexon Industries Co.  
NJPDES No. NJ 0055808  
Belleville/Essex County

Dear Mr. Rauch:

A Compliance Evaluation Inspection of your facility was conducted by a representative of this Bureau on April 28, 1994.

Your facility received a rating of "ACCEPTABLE". A copy of the completed inspection report form is enclosed for your information. Please address any minor deficiencies noted therein.

This Bureau anticipates your continued cooperation in assisting us in the prevention and control of water pollution in New Jersey.

Very truly yours,

Theophilus N. Ashie  
Senior Environmental Specialist  
Metro Bureau Water and  
Hazardous Waste Enforcement

E29:G27

c: Mr. Robert Vaughn, USEPA  
Thomas Longo, Health Official

Enclosure

848000007



**State of New Jersey**  
**DEPARTMENT OF ENVIRONMENTAL PROTECTION**  
DIVISION OF ENFORCEMENT FIELD OPERATIONS  
Metro Bureau of Water and Hazardous Waste Enforcement  
2 Babcock Place, West Orange, N.J. 07052  
(201) 669-3900

April 24, 1995

Mr. David Rauch, Vice President  
Flexon Industries Corporation  
366 Frelinghuysen Avenue  
Newark, NJ 07114

Re: Compliance Evaluation Inspection  
Flexon Industries Corporation  
NJPDES No. NJ 0055808  
Belleville/Essex County

Dear Mr. Rauch:

A Compliance Evaluation Inspection of your facility was conducted by a representative of this Bureau on April 11, 1995.

Your facility received a rating of "ACCEPTABLE". A copy of the completed inspection report form is enclosed for your information. Please address any minor deficiencies noted therein.

This Bureau anticipates your continued cooperation in assisting us in the prevention and control of water pollution in New Jersey.

Very truly yours,

Theophilus N. Ashie  
Senior Environmental Specialist  
Metro Bureau Water and  
Hazardous Waste Enforcement

E29:G27

c: Mr. Patrick Durack, USEPA  
Thomas Longo, Health Official

Enclosure

848000008

NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES)  
DISCHARGE MONITORING REPORT (DMR)

**NJ0055808**

001A

**PERMIT NUMBER**

DISCHARGE NUMBER

**Form Approved.**

OMB No. 2040-0004

CONTACT COORDINATOR: STORM-WATER  
MINOR ESSEX  
METRO REGION

**NOTE: Read instructions before completing this form.**

NUMBER: 93100846

PARAMETER (32-37)	X	(3 Card Only) QUANTITY OR LOADING (46-53)			(4 Card Only) QUALITY OR CONCENTRATION (54-61)				NO. EX (62-63)	FREQUENCY OF ANALYSIS (64-65)	SAMPLE TYPE (66-78)
		XXXXXX	XXXXXX	UNITS	XXXXXX	XXXXXX	XXXXXX	UNITS			
TEMPERATURE, WATER CENTIGRADE 1 0	SAMPLE MEASUREMENT	*****	*****								
PERMIT GROSS VALUE	PERMIT REQUIREMENT	*****	*****	****	REPORT MINIMUM	REPORT MONTH AVG	30-00000 DLY MAX	DEG-C		ONCE/ MONTH	GRAB
N DEMAND, CHEM- H LEVEL) (COD) 1 0	SAMPLE MEASUREMENT				*****						
PERMIT GROSS VALUE	PERMIT REQUIREMENT	REPORT MONTH AVG	REPORT DLY MAX	KG/ DAY	*****	REPORT MONTH AVG	50-00000 DLY MAX	MG/L		ONCE/ MONTH	GRAB
1 0	SAMPLE MEASUREMENT	*****	*****			*****					
PERMIT GROSS VALUE	PERMIT REQUIREMENT	*****	*****	****	5-00000 MINIMUM	*****	5-00000 MAXIMUM	SU		ONCE/ MONTH	GRAB
IS, TOTAL INDEXED 1 0	SAMPLE MEASUREMENT				*****						
PERMIT GROSS VALUE	PERMIT REQUIREMENT	REPORT MONTH AVG	REPORT DLY MAX	KG/ DAY	*****	REPORT MONTH AVG	50-00000 DLY MAX	MG/L		ONCE/ MONTH	GRAB
ICARBONS, IN H2O, 14 EXT. CHROMAT 1 0	SAMPLE MEASUREMENT	*****	*****		*****						
PERMIT GROSS VALUE	PERMIT REQUIREMENT	*****	*****	****	*****	20-00000 MONTH AVG	100-00000 DLY MAX	MG/L		ONCE/ MONTH	GRAB
STRAIN TOTAL (AS CR)	SAMPLE MEASUREMENT	*****	*****		*****						
PERMIT GROSS VALUE	PERMIT REQUIREMENT	*****	*****	****	*****	REPORT MONTH AVG	*****	MG/L		ONCE/ MONTH	GRAB
PER= TOTAL (AS CU)	SAMPLE MEASUREMENT	*****	*****		*****						
PERMIT GROSS VALUE	PERMIT REQUIREMENT	*****	*****	****	*****	REPORT MONTH AVG	*****	MG/L		ONCE/ MONTH	GRAB

TITLE PRINCIPAL EXECUTIVE OFFICER

I CERTIFY UNDER PENALTY OF LAW THAT I AM FAMILIAR WITH THE INFORMATION CONTAINED HEREIN AND I AM NOT PROVIDING IT IN AN INQUIRY TO OBTAIN THE INFORMATION. I BELIEVE THE QUOTED INFORMATION IS TRUE, ACCURATE AND COMPLETE. I AM AWARE THAT THERE ARE SIGNIFICANT PENALTIES FOR SUBMITTING FALSE INFORMATION INCLUDING THE POSSIBILITY OF FINE AND IMPRISONMENT. I HAVE BEEN ADVISED THAT THE PENALTIES FOR PROVIDING FALSE INFORMATION ARE UP TO \$10,000 AND OR maximum imprisonment of up to 6 months and 1 year.

SIGNATURE OF PRINCIPAL EXECUTIVE  
OFFICER OR AUTHORIZED AGENT

**TELEPHONE**

DATE \_\_\_\_\_

201	824527	93	10	25
AREA	NUMBER	YEAR	MO	DAY

FOR USE FOR COPPER, CHROMIUM AND ZINC IS NOT REQUIRED UNLESS A CORROSION INHIBITOR CONTAINING THESE METALS IS USED FOR WATER TREATMENT. UPON WRITTEN REQUEST CDD MAY BE CHANGED TO 20 MG/L OF TOC.  
RPT PRG MONTHLY - CMHA 7/1/91



PERMITTEE NAME/ADDRESS (include Facility Name/location if different)	NAME	ADDRESS	FACILITY LOCATION
	ELEXON INDUSTRIES CORP	666 WASHINGTON AVENUE	
		BELLEVILLE, NJ 07109	

**NJ0055808**  
**PERMIT NUMBER**

001A  
DISCHARGE NUMBER

MONITORING PERIOD					
FROM			TO		
YEAR	MO	DAY	YEAR	MO	DAY
99	02	01	99	02	28
(12-31 (24-25 (24-25			(26-27 (28-29 (29-31		

Form Approved.  
OMB No. 2040-0004.  
Approval expires 6-30-99

**DMR NUMBER: 94020630**

## PARAMETER

K

**(J CARD Only)**  
**(46-53)**

QUANTITY OF  
(54-6.

LOADING

(P LATE COM)  
(38-45)

QUALITY OF  
(46-53)

(34-61)

NO.	EX	PRE	ANA

[illegible]



**DISCHARGE MONITORING REPORT (DMR)**

**ELEXON INDUSTRIES CORP**  
**666 WASHINGTON AVENUE**  
**BELLEVILLE, ILL 62209**

PERMIT NUMBER  
NJ0055808  
(2-16)

001A

姓名	姓名
----	----

Form Approved.  
OMB No. 2040-0004.  
Approval expires 6-30-

**MINOR CONTACT COOLING & STORM WATER  
ESSEX**

MONITORING PERIOD									
FROM						TO			
YEAR	MO	DAY	YEAR	MO	DAY	YEAR	MO	DAY	YEAR
96	03	01	96	03	31				

**NUMBER: 94030829**

**NOTE: Read instructions before completing this form.**

[illegible]

**THE PRINCIPAL EXECUTIVE OFFICER**

[illegible]

*D. J. K. 11*  
SIGNATURE OF PRINCIPAL EXECUTIVE

**TELEPHONE**

**THE**

and Ranch 100

**TYPED OR PRINTED**

DRIVING FOR COPPER, CHROMIUM AND ZINC IS NOT REQUIRED UNLESS A CORROSION INHIBITOR CONTAINING THESE ME  
IS USED FOR WATER TREATMENT. UPON WRITTEN REQUEST COD MAY BE CHANGED TO 20 MG/L OF TOC.  
RPT FREQ MONTHLY - CMEA 7/1/91

RPT FREQ MONTHLY - CMEA 7/1/91

3320-1 (Rev. 9-88) Previous editions may be used.

(REPLACES EPA FORM T-40 WHICH MAY NOT BE USED.)

PAGE 2 OF 3

PERMITTING NAME/ADDRESS (Include Facility Name/Location) (44-6000)  
**NAME** FLEXON INDUSTRIES CORP  
**ADDRESS** 666 WASHINGTON AVENUE  
**CITY** BELLEVILLE, MI 48109

NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES)  
**DISCHARGE MONITORING REPORT (DMR)**  
(1719)  
**DMR NUMBER** NJ0055808 001A  
**PERMIT NUMBER** NJ0055808  
**DISCHARGE NUMBER** 001A

**CREATED:** 01/06/95  
**Form Approved:** M100R  
**OMB No. 2040-0004**  
**Approval expires:** 10-31-94

**LOCATION** 4  
**DMR NUMBER** NJ0055808 001A  
**DATE** 01/19/95

**MONITORING PERIOD**  
FROM YEAR 95 QUANTITY OR LOADING (6-5) (6-4) (6-3) (6-2) (6-1)  
TO YEAR 95 QUANTITY OR LOADING (6-5) (6-4) (6-3) (6-2) (6-1)

**METRO REGION / ESSEX**  
**NOTE:** Read instructions before completing this form.

PARAMETER	UNIT	QUANTITY OR LOADING	QUALITY OR CONCENTRATION	NO. OF ANALYSES	FREQUENCY OF ANALYSES	SAMPLE TYPE
PH						
00400 1 0						
EFFLUENT GROSS VALUE						
SOLIDS, TOTAL						
SUSPENDED						
00530 1 0						
EFFLUENT GROSS VALUE						
CHLORINE PRODUCED						
OXIDANTS						
00500 1 0						
EFFLUENT GROSS VALUE						
TEMPERATURE, WATER						
DEG. CENTIGRADE						
00010 1 0						
EFFLUENT GROSS VALUE						
(HIGH LEVEL) (COD)						
00340 1 0						
EFFLUENT GROSS VALUE						
IR, CC14 EXT. CHROMAT						
00551 1 0						
EFFLUENT GROSS VALUE						
NAME/TITLE PRINCIPAL EXECUTIVE OFFICER						
DAVID ROUGH V.P.						
TYPE OF PRINTED						
COMMENT AND EXPLANATION OF ANY VIOLATIONS (Reference all attachments here)						
848000014						

EPA Form 2040-1 (Rev. 8-83) **NO DISCHARGE NO IA**  
LABS: (REPLACES EPA FORM 7-49 WHICH MAY NOT BE USED.)  
PAGE 1 OF 1

P.07







PERMITTEE NAME/ADDRESS (Include Facility Name/Location if different)  
FLEXION INDUSTRIES CORP  
666 WASHINGTON AVENUE  
BELLEVILLE, NJ 07109

NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES)  
DISCHARGE MONITORING REPORT (DMR)  
(2-19)  
NJD005808  
001A  
DISCHARGE NUMBER

CREATED: 04/04/95  
Form Approved. MINCR  
OMB No. 2040-0004  
Approval expires 10-31-94

PERMIT NUMBER: NJD005808 001A  
LOCATION: 061995

MONITORING PERIOD  
FROM YEAR 95 MO 06 DAY 01 TO YEAR 95 MO 06 DAY 30  
(7/27/95) (7/27/95) (7/27/95) (7/27/95)

METRO REGION / ESSEX  
NOTE: Read instructions before completing this form.

PARAMETER (3-37)	SAMPLE MEASUREMENT	QUANTITY OR LOADING (5-41)	MONITORING PERIOD				QUALITY OR CONCENTRATION (5-43)	UNIT (5-43)	NO. OF ANALYSIS (5-43)	FREQUENCY ANALYSIS (5-43)	SAMPLE TYPE (5-70)
			YEAR	MO	DAY	TO					
FLOW RATE											
00056 1 0											
EFFLUENT GROSS VALUE											
PH											
00400 1 0											
EFFLUENT GROSS VALUE											
SOLIDS, TOTAL											
00530 1 0											
EFFLUENT GROSS VALUE											
CHLORINE PRODUCED											
OXIDANTS											
*CPOX 1 0											
EFFLUENT GROSS VALUE											
TEMPERATURE, WATER											
DEG. CENTIGRADE											
00010 1 0											
EFFLUENT GROSS VALUE											
HYDROGEN DEMAND, CUCHE											
(HIGH LEVEL) (COD)											
00340 1 0											
EFFLUENT GROSS VALUE											
CHLOROPHYLLIN FLUOR											
IR,CC14 EXT. CHROMAT											
00551 1 0											
EFFLUENT GROSS VALUE											
NAME/TITLE PRINCIPAL EXECUTIVE OFFICER											
DAVID ROACH VP											
TYPED OR PRINTED											
COMMENT AND EXPLANATION OF ANY VIOLATIONS (Relatives of Discharge Note)											
NO DISCHARGE NOIA											
SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT											
201/829-5577 95 4 27											

PERMITTEE NAME/ADDRESS (Include Facility Name/Location if different)  
 NAME **FLEXON INDUSTRIES CORP**  
 ADDRESS **666 WASHINGTON AVENUE**  
**BELLEVILLE, NJ 07109**

CREATED: 10/03/95 MINOR

Form Approved.

OMB No. 2040-0004

Approval expires 10-31-04

001A  
 DISCHARGE NUMBER

NJ0055808  
 PERMIT NUMBER

MONITORING PERIOD  
 YEAR MONTH DAY  
 FROM 1995 10 01  
 TO 1995 10 31

MONITORING PERIOD  
 YEAR MONTH DAY  
 FROM 1995 10 01  
 TO 1995 10 31

METRO REGION 5 / ESSEX  
 NOTE: Read instructions before completing this form.

PARAMETER (12-37)	(3 Card Only) QUANTITY OR LOADING			(4 Card Only) QUALITY OR CONCENTRATION			UNITS	NO. OF SAMPLING EVENTS (13-15)	FREQUENCY OF SAMPLING (14-16)	RANGE OF VALUES (17-18)
	AVERAGE (12-37)	MAXIMUM (12-38)	MINIMUM (12-39)	AVERAGE (13-41)	MAXIMUM (13-42)	MINIMUM (13-43)				
FLOW RATE										
00050 1 0 EFFLUENT GROSS VALUE										
PH										
00400 1 0 EFFLUENT GROSS VALUE										
SOLIDS, TOTAL SUSPENDED										
00530 1 0 EFFLUENT GROSS VALUE										
CHLORINE PRODUCED OXIDANTS										
00530 1 0 EFFLUENT GROSS VALUE										
TEMPERATURE, WATER DEG. CENTIGRADE										
00010 1 0 EFFLUENT GROSS VALUE										
OXYGEN DEMAND, CHEM- (HIGH LEVEL) (COD)										
00340 1 0 EFFLUENT GROSS VALUE										
HYDROCARBONS, IN H2O IR, CC14 EXT. CHROMAT										
00551 1 0 EFFLUENT GROSS VALUE										

I CERTIFY UNDER PENALTY OF LAW THAT I HAVE PERSONALLY EXAMINED AND AM FAMILIAR WITH THE INFORMATION SUBMITTED HEREIN, AND BASED ON MY OWN KNOWLEDGE AND BELIEF, I BELIEVE THE INFORMATION IS TRUE, ACCURATE, AND COMPLETE. I AM AWARE THAT THERE ARE SIGNIFICANT PENALTIES FOR SUBMITTING FALSE INFORMATION, INCLUDING THE POSSIBILITY OF FINE AND IMPRISONMENT. SEE 18 USC 1001 AND 18 USC 1361. (Penalty for providing false information is 5 years and/or fine of \$250,000.)

NAME/TITLE PRINCIPAL EXECUTIVE OFFICER  
 David J. Riven  
 SIGNED ON PRINTED  
 COMMENT AND EXPLANATION OF ANY VIOLATIONS (Reference to regulations here)

SIGNATURE OF PRINCIPAL EXECUTIVE  
 OFFICER OR AUTHORIZED AGENT  
 201 804-507 957 21

TELEPHONE  
 DATE  
 AREA NUMBER  
 YEAR MONTH DAY

NO DISCHARGE NOIA

NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES)  
DISCHARGE MONITORING REPORT (DMR)PERMITTEE NAME/ADDRESS (Include  
Facility Name/Location if different)FLEXON INDUSTRIES CORP  
666 WASHINGTON AVENUE  
BELLEVILLE, NJ 07109CREATED: 10/03/95 MINOR  
Form Approved.  
OMB No. 2040-0004  
Approval expires 10-31-94NJ0055808  
PERMIT NUMBER001A  
DISCHARGE NUMBERMONITORING PERIOD  
YEAR MO DAY YEAR MO DAY  
FROM 95 11 01 TO 95 11 30  
(10-31) (11-01) (11-30)METRO REGION / ESSEX  
NOTE: Read instructions before completing this form.

PARAMETER (12-37)	QUANTITY OR LOADING (13-37) (14-37) (15-37)			QUALITY OR CONCENTRATION (16-37) (17-37) (18-37)			NO. EX. (19-37)	FREQUENCY (20-37)	SAMPLE TYPE (21-37)
	AVERAGE (13-37)	MAXIMUM (14-37)	MINIMUM (15-37)	AVERAGE (16-37)	MAXIMUM (17-37)	MINIMUM (18-37)			
FLOW RATE									
EFFLUENT GROSS VALUE									
PH									
SOLIDS, TOTAL									
SOLIDS, SUSPENDED									
EFFLUENT GROSS VALUE									
CHLORINE PRODUCED									
OXIDANTS									
EFFLUENT GROSS VALUE									
TEMPERATURE, WATER									
DEG. CENTIGRADE									
EFFLUENT GROSS VALUE									
OXYGEN DEMAND, CHEM.									
(HIGH LEVEL) (COD)									
EFFLUENT GROSS VALUE									
HYDROCARBONS, IN H2O									
IR, CC14 EXT. CHROMAT									
EFFLUENT GROSS VALUE									

I CERTIFY UNDER PENALTY OF LAW THAT I HAVE PERSONALLY EXAMINED  
AND AM FAMILIAR WITH THE INFORMATION SUBMITTED HEREIN AND BASED  
ON MY KNOWLEDGE OF THE INFORMATION SUBMITTED, I BELIEVE THE INFORMATION IS  
TRUE, ACCURATE, AND COMPLETE. I AM AWARE THAT THERE ARE  
SIGNIFICANT PENALTIES FOR SUBMITTING FALSE INFORMATION INCLUDING  
THE POSSIBILITY OF FINE AND IMPRISONMENT. SEE 18 USC 1001 AND  
33 USC 1319. (Penalties under these statutes may be increased to 5 years,  
\$100,000 and or an administrative fine between 6 months and 5 years.)NAME/TITLE PRINCIPAL EXECUTIVE OFFICER  
Typed or PrintedSIGNATURE OF PRINCIPAL EXECUTIVE  
OFFICER OR AUTHORIZED AGENT

TELEPHONE

DATE

NO DISCHARGE NOIA



P.20

R NUMBER: NJ0055808 001A 011996

FROM	TO	DATE
00-01	01-01	12-23-74

MEIRD REGION / ESSEX

NOTE: Read instructions before completing this form.

**METRO REGION / ESSEX**  
NOTE: Read instructions before completing this form.

TYPED OR PRINTED U.S.C. § 1318, (Penalty: Whoever takes advantage may be fined up to \$10,000 and or maximum imprisonment of between 6 months and 5 years.)	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT			
	AREA CODE	NUMBER	YEAR	MO DAY

SIGNATURE OF PRINCIPAL EXECUTIVE  
OFFICER OR AUTHORIZED AGENT

TELEPHONE		DATE	
201 AREA CODE	827-557 NUMBER	96 YEAR	2 21 MO DAY

**L  
I  
P  
E  
L  
O  
D  
D  
F  
•  
1  
L  
T  
H  
C  
S  
U**

FLEXON INDUSTRIES CORP  
666 WASHINGTON AVENUE  
BELLEVILLE, NJ 07109

**NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES)  
DISCHARGE MONITORING REPORT (DMR)**  
(2-18) (17-19)

**N 20055808**  
**PERMIT NUMBER**

001A  
DISCHARGE NUMBER

CREATED: 01/23/9

Form Approved.  
OMB No. 2040-0004  
Approval expires 05-31-98

p.19

93%

202103413170

0  
L  
:  
f  
,  
U  
C  
C  
,  
W  
C  
I  
:

**848000024**

MONITORING PERIOD								
YEAR			MO			DAY		
FROM	96	02	01	TO	96	02	29	
	(20-21)	(22-23)	(24-25)		(26-27)	(28-29)	(30-31)	

METRO REGION / ESSEX

**NOTE: Read instructions before completing this form.**

PARAMETER (32-37)	X	QUANTITY OR LOADING (46-53)			QUANTITY OR CONCENTRATION (54-61)			NO. EX (62-63)	FREQUENCY OF ANALYSIS (64-68)	SAMPLE TYPE (69-70)
		AVERAGE	MAXIMUM	UNITS	MINIMUM	AVERAGE	MAXIMUM			
IN RATE	SAMPLE MEASUREMENT				000000	000000	000000			
156 1 0 LUENT GROSS VALUE	PERMIT REQUIREMENT	REPORT MNTH AVG	REPORT DLY MAX	6PD	000000	000000	000000	0000	ONCE/ MONTH	NETE
00 1 0 LUENT GROSS VALUE	SAMPLE MEASUREMENT	000000	000000			000000				
IDS, TOTAL PENDEED	PERMIT REQUIREMENT	000000	000000	0000	6.00000 MINIMUM	000000	9.00000 MAXIMUM	SU	QTRLY	GRAB
30 1 0 LUENT GROSS VALUE	SAMPLE MEASUREMENT	000000	000000		000000					
ORINE PRODUCED DANTS	PERMIT REQUIREMENT	000000	000000	0000	000000	REPORT MNTH AVG	20.00000 DLY MAX	MG/L	QTRLY	GRAB
0X 1 0 LUENT GROSS VALUE	SAMPLE MEASUREMENT	000000	000000							
PERATURE, WATER CENTIGRADE	PERMIT REQUIREMENT	000000	000000	0000	REPORT MINIMUM	REPORT MNTH AVG	REPORT DLY MAX	MG/L	QTRLY	GRAB
10 1 0 LUENT GROSS VALUE	SAMPLE MEASUREMENT	000000	000000		000000					
SEN DEMAND, CHLORINE (HIGH LEVEL) (COD)	PERMIT REQUIREMENT	000000	000000	0000	000000	REPORT MNTH AVG	30.00000 DLY MAX	DEG-C	ONCE/ MONTH	GRAB
40 1 0 LUENT GROSS VALUE	SAMPLE MEASUREMENT	000000	000000		000000					
OLARIMINE IN H2O	PERMIT REQUIREMENT	000000	000000	0000	000000	REPORT MNTH AVG	50.00000 DLY MAX	MG/L	QTRLY	GRAB
CC14 EXT. CHROMAT	SAMPLE MEASUREMENT	000000	000000		000000					
32 1 0 LUENT GROSS VALUE	PERMIT REQUIREMENT	000000	000000	0000	000000	REPORT MNTH AVG	10.00000 DLY MAX	MG/L	SEMI- ANNUAL	GRAB
LITTLE PRINCIPAL EXECUTIVE OFFICER		I CERTIFY UNDER PENALTY OF LAW THAT I HAVE PERSONALLY EXAMINED AND AM FAMILIAR WITH THE INFORMATION SUBMITTED HEREIN; AND BASED ON MY INQUIRY OF THOSE INDIVIDUALS IMMEDIATELY RESPONSIBLE FOR OBTAINING THE INFORMATION, I BELIEVE THE SUBMITTED INFORMATION IS TRUE, ACCURATE AND COMPLETE. I AM AWARE THAT THERE ARE SIGNIFICANT PENALTIES FOR SUBMITTING FALSE INFORMATION, INCLUDING THE POSSIBILITY OF FINE AND IMPRISONMENT. SEE 18 U.S.C. § 1001 AND 15 U.S.C. § 1319. (Penalties under these statutes may include fines up to \$10,000 and/or maximum imprisonment of 5 years or more and 5 years.)			SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT		TELEPHONE		DATE	
W.D. RAUCH VP					D. L. V. P.		201-824-5549		96 2 21	
TYPED OR PRINTED							AREA CODE NUMBER		YEAR MO DAY	

Form Approved.  
OMB No. 0704-0004  
Approval expires 05-31-11

**NOTE: Read instructions before completing this form**

AREA CODE	NUMBER	YEAR	MO	DAY
01	0000000000	00	00	00

PAGE 10

Form Approved.  
 CREATED: 04/08/96MD No PENDING04  
 Approval expires 05-31-98

**METRO REGION / ESSEX**  
**NOTE:** Read instructions before completing this form.

[illegible]

FORM 3520-1 (08-86) PREVIOUS EDITIONS MAY BE USED. NO DISCHARGE NOIR REPLACES EPA FORM T-40 WHICH MAY NOT BE USED. PAGE 1 OF 1

**NOTE:** Read instructions before completing

**NOTE: Read instructions before completing this form.**

FD-350-1 (08-85) Previous editions may be used.

NO DISCHARGE NO IN

LABYACES BIA FORM T-4 WHICH MAY NOT BE USED

PAGE 1 OF 1

